

273 0806 03 04

SAFETY DATA SHEET

PRODUCT: LAVENDER PARAFFIN

PAGE: 1 OF 5

2. COMPOSITION / INFORMATION ON INGREDIENTS

3. HEALTH HAZARDS

SKIN CONTACT: IT DOES NOT POSE ANY RISK WHEN HANDLED AND USED UNDER NORMAL CONDITIONS. AT HIGH TEMPERATURES, MELTED PRODUCT MAY PRODUCE BURNS.

EYE CONTACT: AVOID CONTACT WITH EYES.

INGESTION: THIS IS NOT A COMMON WAY OF INTOXICATION AND EASY TO AVOID.

INHALATION: IT DOES NOT POSE ANY RISK WHEN HANDLED AND USED UNDER NORMAL CONDITIONS. ONLY AT HIGH TEMPERATURES MAY THE PRODUCT GENERATE IRRITANT VAPOURS. VAPOUR INHALATION MAY PRODUCE ASMATIC REACTIONS IN A SMALL PERCENTAGE OF THE POPULATION.

SPECIAL CONDITIONS: THIS PRODUCT MAY BURN OVER ITS IGNITION POINT (HIGHER THAN 250° CENTIGRADES/ 482° FAHRENHEIT).

ENVIRONMENTAL DANGERS: IT FLOATS IN WATER WHEN IT SOLIDIFIES.

PRODUCT: **LAVENDER PARAFFIN**

PAGE: 2 OF 5

4. FIRST AID MEASURES

EYE CONTACT DANGEROUS WHEN IN CONTACT WITH MELTED PRODUCT THAT IS TOO HOT. IN THIS CASE, SEEK MEDICAL ATTENTION. RINSE AWAY THOROUGHLY WITH WATER. DO NOT TRY TO PULL THE PARAFFIN.

SKIN CONTACT NOT EXPECTED TO BE A PROBLEM. WASH HANDS AFTER USE. THE ONLY RISK IS A CONTACT BURN WHEN MELTED PRODUCT IS TOO HOT. COOL THE AFFECTED AREA WITH A GENEROUS AMOUNT OF WATER (DO NOT TRY TO PULL THE PARAFFIN). CURE THE BURN AND IN SERIOUS CASES SEEK MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, CALL LOCAL POISON CONTROL CENTER. DO NOT INDUCE VOMIT.

INHALATION: IT DOES NOT POSE ANY RISK WHEN HANDLED AND USED UNDER NORMAL CONDITIONS. IN CASE OF OVERHEATING OF LARGE QUANTITIES OF PARAFFIN IN AREAS WITHOUT PROPER VENTILATION, REMOVE THE VICTIM TO FRESH AIR. IN CASE OF EXTREME OVEREXPOSURE, ADMINISTER OXYGEN.

5. FIREFIGHTING MEASURES

**EXTINGUISH MEASURES:
DRY CHEMICAL.
FOAM.
CO2.**

IN CASE OF FIRE, THE PRODUCT MAY PRODUCE DANGEROUS COMBUSTION VAPOURS.

SPECIAL FIREFIGHTING PROCEDURE: WEAR MSHA/NIOSH APPROVED, PRESSURE DEMAND, SELF-CONTAINED BREATHING APPARATUS AND FULL BUNKER GEAR.

SAFETY DATA SHEET

PRODUCT: LAVENDER PARAFFIN

PAGE: 3 OF 5

6. MEASURES IN CASE OF ACCIDENTAL SPILLS

SPECIAL PRECAUTIONS: IF THE PRODUCT IS MELTED, KEEP PERSONNEL AWAY UNTIL THE PRODUCT SOLIDIFIES.

ENVIRONMENTAL PROTECTION MEASURES: IN CASE THE PRODUCT ENTERS THE SEWER/PUBLIC WATERS, NOTIFY ENVIRONMENTAL AUTHORITIES.

METHODS FOR CLEANING UP: THE PRODUCT MUST BE REMOVED IN ITS SOLID STATE. DO NOT TRY TO CLEAN UP THE SPILL WITHOUT THE PROPER PROTECTIVE EQUIPMENT. WASH HANDS AFTER USE, AVOID EYE CONTACT AND EXCESSIVE INHALATION. DO NOT INGEST. ALLOW PRODUCT TO COOL AND SOLIDIFY. EXTINGUISH ALL SOURCES OF IGNITION AND SCOOP UP MATERIAL. TRANSFER TO AN APPROPRIATE CONTAINER.

7. HANDLING AND STORAGE

GENERAL INFORMATION: WHEN THE PRODUCT IS SOLID, THE PRODUCT DOES NOT REQUIRE ANY SPECIAL MEASURES FOR HANDLING AND STORAGE.

HANDLING: HANDLE IN ACCORDANCE WITH THE NORMAL USAGE INSTRUCTIONS. READ AND UNDERSTAND MANUFACTURER'S INSTRUCTIONS AND WARNINGS. WASH HANDS AFTER USE, AVOID EYE CONTACT, DO NOT INGEST. WHEN PRODUCT IS HOT, WEAR PROTECTIVE GLOVES AND GOGGLES.

STORAGE: STORE AWAY FROM DIRECT SUNLIGHT AND IN AREAS WITH TEMPERATURES BELOW 25°C/ 77°F. KEEP AWAY FROM SOURCES OF HEAT OR IGNITION.

8. EXPOSURE CONTROL / INDIVIDUAL PROTECTION

RESPIRATORY PROTECTION: PRODUCT USERS SHOULD WORK IN A WELL VENTILATED AREA. USE PROOF, MECHANICAL VENTILATION DURING MANUFACTURING OR PACKAGING.

PROTECTIVE GLOVES: NONE REQUIRED, UNLESS WORKING WITH BULK MANUFACTURING AND WHENEVER THE PRODUCT IS MELTED AND REACHES HIGH TEMPERATURES.

EYE PROTECTION: AVOID EYE CONTACT. SAFETY GLASSES REQUIRED WHEN WORKING WITH BULK AMOUNTS AND WHENEVER THE PRODUCT IS MELTED AND REACHES HIGH TEMPERATURES. WASH HANDS BEFORE TOUCHING THE EYE AREA.

PRODUCT: **LAVENDER PARAFFIN**

PAGE: 4 OF 5

9. CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE: **MILKY AND SOLID WHEN IS COLD.**COLOUR: **VIOLET**ODOUR: **LAVENDER**DROP POINT: **42.5°C+/-1.5 / 108.5°F+/-2.5**COMBUSTION POINT **>250°C/ 482°F**

10. STABILITY AND REACTIVITY

STABILITY **STABLE UNDER NORMAL CONDITIONS.**CONDITIONS TO AVOID: **DO NOT USE NEAR OPEN FLAMES, SPARKS, OR OTHER SOURCES OF IGNITION**MATERIALS TO AVOID: **AVOID CONTACT WITH STRONG OXIDIZING AGENTS.**HAZARDOUS
DECOMPOSITION
PRODUCTS: **UNKNOWN.**HAZARDOUS
POLYMERIZATION **WILL NOT OCCUR**

11. POTENTIALLY HAZARDOUS INGREDIENTS

CHEMICAL IDENTITYCAS #EXPOSURE LIMITS**THIS PRODUCT CONTAINS NO HAZARDOUS INGREDIENTS AS DESCRIBED BY OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.**

12. ECOLOGICAL INFORMATION

NO INFORMATION AVAILABLE.

SAFETY DATA SHEET

PRODUCT: LAVENDER PARAFFIN

PAGE: 5 OF 5

13. DISPOSAL CONSIDERATION

INCINERATE OR LANDFILL WASTE AT A STATE APPROVED FACILITY. DISPOSE OF IN ACCORDANCE WITH STATE, FEDERAL, AND LOCAL REGULATIONS. IN THE CASE OF LARGE SPILLS NOTIFY ENVIRONMENTAL AUTHORITIES.

14. TRANSPORT INFORMATION

PAPERS AND CARDBOARDS IMPREGNATED WITH PARAFFIN ARE INFLAMMABLE SOLIDS.

15. REGULATORY INFORMATION

NONE REQUIRED

16. OTHER INFORMATION

IMPORTANT NOTICE: The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for the application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interpretation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

*These Products Are Designed and Formulated For Professional Use Only.
They Must Be Used With Adequate Ventilation and in Accordance With Manufacturers Instructions.*

Abbreviations Used:

NE= not established	IPA=Isopropyl Alcohol	CAS= Chemical Abstract Number
Nkn=not known	(Rubbing Alcohol)	NTP=National Toxicology
Programme		
n/a=not applicable	mm Hg=millimetres of Mercury	IRAC=Int'l Agency of Research on Cancer
PEL=Permissible Exposure Limit	OSHA=Occupational Safety and Health	
Administration		
TLV=Threshold Limit Value	CHEMTREC=Chemical Transportation Emergency Centre	

273 0006 01 11

SAFETY DATA SHEET

PRODUCT: PEACH PARAFFIN

PAGE: 1 OF 5

1. PRODUCT INFORMATION:

2. COMPOSITION / INFORMATION ON INGREDIENTS

3. HAZARD IDENTIFICATION

SKIN CONTACT: IT DOES NOT POSE ANY RISK WHEN HANDLED AND USED UNDER NORMAL CONDITIONS. AT HIGH TEMPERATURES, MELTED PRODUCT MAY PRODUCE BURNS.

EYE CONTACT: AVOID CONTACT WITH EYES.

INGESTION: THIS IS NOT A COMMON WAY OF INTOXICATION AND EASY TO AVOID.

INHALATION: IT DOES NOT POSE ANY RISK WHEN HANDLED AND USED UNDER NORMAL CONDITIONS. ONLY AT HIGH TEMPERATURES MAY THE PRODUCT GENERATE IRRITANT VAPOURS. VAPOUR INHALATION MAY PRODUCE ASMATIC REACTIONS IN A SMALL PERCENTAGE OF THE POPULATION.

SPECIAL CONDITIONS: THIS PRODUCT MAY BURN OVER ITS IGNITION POINT (HIGHER THAN 250° CENTIGRADES/ 482° FAHRENHEIT).

ENVIRONMENTAL DANGERS: IT FLOATS IN WATER WHEN IT SOLIDIFIES.

SAFETY DATA SHEET

PRODUCT: PEACH PARAFFIN

PAGE: 2 OF 5

4. FIRST AID MEASURES

EYE CONTACT: DANGEROUS WHEN IN CONTACT WITH MELTED PRODUCT THAT IS TOO HOT. IN THIS CASE, SEEK MEDICAL ATTENTION. RINSE AWAY THOROUGHLY WITH WATER. DO NOT TRY TO PULL THE PARAFFIN.

SKIN CONTACT: NOT EXPECTED TO BE A PROBLEM. WASH HANDS AFTER USE. THE ONLY RISK IS A CONTACT BURN WHEN MELTED PRODUCT IS TOO HOT. COOL THE AFFECTED AREA WITH A GENEROUS AMOUNT OF WATER (DO NOT TRY TO PULL THE PARAFFIN). CURE THE BURN AND IN SERIOUS CASES SEEK MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, CALL LOCAL POISON CONTROL CENTER. DO NOT INDUCE VOMIT.

INHALATION: IT DOES NOT POSE ANY RISK WHEN HANDLED AND USED UNDER NORMAL CONDITIONS. IN CASE OF OVERHEATING OF LARGE QUANTITIES OF PARAFFIN IN AREAS WITHOUT PROPER VENTILATION, REMOVE THE VICTIM TO FRESH AIR. IN CASE OF EXTREME OVEREXPOSURE, ADMINISTER OXYGEN.

5. FIREFIGHTING MEASURES

EXTINGUISHING MEASURES:
DRY CHEMICAL.
FOAM.
CO2.

IN CASE OF FIRE, THE PRODUCT MAY PRODUCE DANGEROUS COMBUSTION VAPOURS.

SPECIAL FIREFIGHTING PROCEDURE: WEAR MSHA/NIOSH APPROVED, PRESSURE DEMAND, SELF-CONTAINED BREATHING APPARATUS AND FULL BUNKER GEAR.

SAFETY DATA SHEET

PRODUCT: PEACH PARAFFIN

PAGE: 3 OF 5

6. MEASURES IN CASE OF ACCIDENTAL SPILL

SPECIAL PRECAUTIONS: IF THE PRODUCT IS MELTED, KEEP PERSONNEL AWAY UNTIL THE PRODUCT SOLIDIFIES.

ENVIRONMENTAL PROTECTION MEASURES: IN CASE THE PRODUCT ENTERS THE SEWER/PUBLIC WATERS, NOTIFY ENVIRONMENTAL AUTHORITIES.

METHODS FOR CLEANING UP: THE PRODUCT MUST BE REMOVED IN ITS SOLID STATE. DO NOT TRY TO CLEAN UP THE SPILL WITHOUT THE PROPER PROTECTIVE EQUIPMENT. WASH YOUR HANDS AFTER USE. AVOID EYE CONTACT AND EXCESSIVE INHALATION. DO NOT INGEST. ALLOW PRODUCT TO COOL AND SOLIDIFY. EXTINGUISH ALL SOURCES OF IGNITION AND SCOOP UP MATERIAL. TRANSFER PRODUCT TO AN APPROPRIATE CONTAINER.

7. HANDLING AND STORAGE

GENERAL INFORMATION: WHEN THE PRODUCT IS SOLID, THE PRODUCT DOES NOT REQUIRE ANY SPECIAL MEASURES FOR HANDLING AND STORAGE.

HANDLING: HANDLE IN ACCORDANCE WITH THE NORMAL USAGE INSTRUCTIONS. READ AND UNDERSTAND MANUFACTURER'S INSTRUCTIONS AND WARNINGS. WASH HANDS AFTER USE, AVOID EYE CONTACT, DO NOT INGEST. WHEN PRODUCT IS HOT, WEAR PROTECTIVE GLOVES AND GOGGLES.

STORAGE: STORE AWAY FROM DIRECT SUNLIGHT AND IN AREAS WITH TEMPERATURES BELOW 25°C/ 77°F. KEEP AWAY FROM SOURCES OF HEAT OR IGNITION.

8. EXPOSURE CONTROL / INDIVIDUAL PROTECTION

RESPIRATORY PROTECTION: PRODUCT USERS SHOULD WORK IN A WELL-VENTILATED AREA. USE PROOF, MECHANICAL VENTILATION DURING MANUFACTURING OR PACKAGING.

PROTECTIVE GLOVES: NONE REQUIRED, UNLESS WORKING WITH BULK MANUFACTURING AND WHENEVER THE PRODUCT IS MELTED AND REACHES HIGH TEMPERATURES.

EYE PROTECTION: AVOID EYE CONTACT. SAFETY GLASSES REQUIRED WHEN WORKING WITH BULK AMOUNTS AND WHENEVER THE PRODUCT IS MELTED AND REACHES HIGH TEMPERATURES. WASH YOUR HANDS BEFORE TOUCHING THE EYE AREA.

PRODUCT: PEACH PARAFFIN

PAGE: 4 OF 5

9. CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE: **MILKY AND SOLID WHEN IS COLD.**COLOUR: **ORANGE-PINK**ODOUR: **PEACH**DROP POINT: **42.5°C+/-1.5 / 108.5°F+/-2.5**COMBUSTION POINT: **>250°C/ 482°F**

10. STABILITY AND REACTIVITY

STABILITY: **STABLE UNDER NORMAL CONDITIONS.**CONDITIONS TO AVOID: **DO NOT USE NEAR OPEN FLAMES, SPARKS, OR OTHER SOURCES OF IGNITION**MATERIALS TO AVOID: **AVOID CONTACT WITH STRONG OXIDIZING AGENTS.**HAZARDOUS
DECOMPOSITION
BYPRODUCTS: **UNKNOWN.**HAZARDOUS
POLYMERIZATION: **WILL NOT OCCUR.**

11. POTENTIALLY HAZARDOUS INGREDIENTS

CHEMICAL IDENTITYCAS #EXPOSURE LIMITS**THIS PRODUCT CONTAINS NO HAZARDOUS INGREDIENTS AS DESCRIBED BY OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.**

12. ECOLOGICAL INFORMATION

NO INFORMATION AVAILABLE.

SAFETY DATA SHEET

PRODUCT: PEACH PARAFFIN

PAGE: 5 OF 5

13. DISPOSAL CONSIDERATION

INCINERATE OR LANDFILL WASTE AT A STATE APPROVED FACILITY. DISPOSE OF IN ACCORDANCE WITH STATE, FEDERAL, AND LOCAL REGULATIONS. IN THE CASE OF LARGE SPILLS NOTIFY ENVIRONMENTAL AUTHORITIES.

14. TRANSPORT INFORMATION

PAPERS AND CARBOARDS IMPREGNATED WITH PARAFFIN ARE INFLAMMABLE SOLIDS.

15. REGULATORY INFORMATION

NONE REQUIRED

16. OTHER INFORMATION

IMPORTANT NOTICE: The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for the application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interpretation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

These Products Are Designed and Formulated For Professional Use Only.

They Must Be Used With Adequate Ventilation and in Accordance With Manufacturers Instructions.

Abbreviations Used:

NE= not established	IPA=Isopropyl Alcohol	CAS= Chemical Abstract Number
Nkn=not known	(Rubbing Alcohol)	NTP=National Toxicology Programme
n/a=not applicable	mm Hg=millimetres of Mercury	IRAC=Int'l Agency of Research on Cancer
PEL=Permissible Exposure Limit	OSHA=Occupational Safety and Health Administration	
TLV=Threshold Limit Value	CHEMTREC=Chemical Transportation Emergency Centre	