

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 1 of 10

1. Identification

Product identifier

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Further trade names

This MSDS covers the following products:

FA5530 Beauty Lash Sensitive Dark Brown

FA5531A Beauty Lash Sensitive Medium Brown

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

Details of the supplier of the safety data sheet

Company name: GW Cosmetics GmbH

Street: Achauerstrasse 49a

Place: A-2333 Leopoldsdorf

Telephone: +43 / 2235 / 47 940-0

Telefax: +43 / 2235 / 47 940-39

Responsible Department: office@gwcosmetics.at

Emergency phone number:

+43 / 2235 / 47 940-0 (09:00-16:00 CET)

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Hazard categories:

Flammable liquids: Flam. Liq. 3

Hazard Statements:

Flammable liquid and vapor

Label elements

29 CFR Part 1910.1200

Signal word: Warning**Pictograms:**

Hazard statements

Flammable liquid and vapor

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Store in a well-ventilated place. Keep cool.

Additional advice on labelling

GHS Symbols and Phrases are shown here only for information. This product is a consumer product and labelling is regulated by the cosmetic regulation. Labelling according to 1910.1200 is not required.

Hazards not otherwise classified

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

Not sustaining combustion

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 2 of 10

3. Composition/information on ingredients**Mixtures****Hazardous components**

CAS No	Components	Quantity
64-17-5	ethanol, ethyl alcohol	=< 18 %

4. First-aid measures**Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO₂).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.
See protective measures under point 7 and 8.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 3 of 10

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No.	Substance	ppm	mg/m ³	f/cc	Category	Origin
64-17-5	Ethanol	-	-		TWA (8 h)	ACGIH-2016
		1000			STEL (15 min)	ACGIH-2016
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	REL
64-17-5	Ethyl alcohol	1000	1900		TWA (8 h)	REL

Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). Standards: EN 166 or 29 CFR 1910.133

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 4 of 10

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time \geq 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time \geq 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time \geq 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time \geq 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time \geq 8 h

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

exceeding exposure limit values

Suitable respiratory protective equipment: half-mask with filter EN 149 or 29 CFR 1910.134 .

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No special precautionary measures are necessary.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	liquid
Color:	not determined
Odor:	characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point/freezing point: not determined

Initial boiling point and boiling range: 78 (Ethanol) °C

Sublimation point: not determined

Softening point: not determined

Pour point: not determined

Flash point: \geq 37 °C

Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits: 3,5 (Ethanol) vol. %

Upper explosion limits: 15 (Ethanol) vol. %

Ignition temperature: 400 (Ethanol) °C

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 5 of 10

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

none

Vapor pressure: 48 (Ethanol) hPa
(at 20 °C)Density: 0,91 g/cm³

Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: not determined

Viscosity / kinematic: not determined

Flow time: not determined

Vapor density: not determined

Evaporation rate: not determined

Solvent separation test: not determined

Solvent content: not determined

Other information

Solid content: not determined

10. Stability and reactivity**Reactivity**

No information available.

Chemical stability

Stability: Stable

The product is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No information available.

Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

Hazardous decomposition productsCan be released in case of fire: Carbon monoxide, Carbon dioxide (CO₂).**11. Toxicological information****Information on toxicological effects****Route(s) of Entry**

Ingestion: May be harmful if swallowed. Inhalation: May be harmful if inhaled. Skin contact: May cause irritation. Eye contact: May cause irritation.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 6 of 10

Toxicokinetics, metabolism and distribution

Adsorption.

Ethanol has a low molecular weight and has a good water and fat solubility. Therefore it can be adsorbed well in the entire gastrointestinal tract, lungs and the skin. After swallowing approximately 90% is taken up via the gastrointestinal tract. When inhaled, this value is 61%. Because of the rapid evaporation of ethanol the dermal adsorption is very limited; theoretically 21% can be accommodated, however, the absorption rate of uncovered skin is only 1 to 2%.

Distribution:

Regardless of the exposure pathway ethanol is distributed via the bloodstream throughout the body, comparable to the distribution of water. Highly perfused organs (brain, lung and liver) are passed quickly. An equal distribution between tissue and blood is reached after 1 to 1.5 h.

metabolism:

Even before the absorption a small proportion of ethanol is enzymatically metabolized in the stomach (alcohol dehydrogenase). After absorption ethanol is preferably metabolized in the liver (92-95%) and partly in the kidneys and lungs. Metabolism occurs usually in three steps: 1. oxidation of ethanol to acetaldehyde; 2. oxidation of acetaldehyde to acetate; 3. oxidation of acetate to carbon dioxide and water

elimination:

The vast majority of ethanol is eliminated by metabolism, the excretion via breath, urine and sweat plays a minor role. The maximum elimination of ethanol is estimated on the 127 mg / kgbw / h.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 mg/kg >5000	Rat.	ECHA Dossier	
	dermal	LD50 mg/kg >2000	Rabbit.	MSDS extern.	
	inhalative (4 h) vapour	LC50 mg/l 51-124,7	Rat.	ECHA Dossier	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Ethanol. (CAS-No.: 64-17-5):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

Reproductive toxicity:

Exposure time: 18 weeks; Species: CD-1 Mouse.

Method: OECD Guideline 416; Result: NOAEL = 20700 mg/kg/day

Developmental toxicity/teratogenicity:

Exposure time: 19d; Species: Sprague-Dawley Rat.

Method: OECD Guideline 414; Result: NOAEL = 16000 ppm (maternal toxicity)

Result: NOAEL >= 20000 ppm (teratogenicity); Literature information: ECHA Dossier

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 7 of 10

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Ethanol. (CAS-No.: 64-17-5):

Subchronic oral toxicity:

Exposure time: 90d; Species: Sprague-Dawley Rat.

Method: OECD Guideline 408

Result: NOAEL = 1280 mg/kg; Literature information: ECHA Dossier

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

12. Ecological information**Ecotoxicity**

Ethanol. (CAS-No.: 64-17-5):

Acute earthworm toxicity: LC50 (48h) = <1mg/cm² (Eisenia fetida, non-guideline study)

Acute plant toxicity: EC50 (6d) = 11800 mg/l (Allium cepa, non-guideline study)

Sediment organisms: LC59 (18h) = 8200 mg/l (Hyallela sp, non-guideline study)

Persistence and degradability

Ethanol. (CAS-No.: 64-17-5):

Chemical Oxygen Demand (COD): CSB = 1900 mg/g

Biochemical oxygen demand (BOD): BSB5 = 1000 mg/g

Abiotic degradation in water: Hydrolysis t 1/2 (20°C, pH 7) = >1 - <36 a.

Abiotic degradation in Air t 1/2 (Air.) = 38 d; 1/2 (Air. 100 ppm NO₂) = 11,5 h**Bioaccumulative potential**

No indication of bioaccumulation potential.

Mobility in soil

Ethanol. (CAS-No.: 64-17-5):

Volatility: Henry constant: 3,3*10⁻⁶ atm. m³/mol;dimension less 1,28*10⁻⁴ (Calculation method.)

Distribution: Calculation according to: Mackay, EPIWIN: Air. 45,0%; Water. 33,1%; soil. 13,7%; sediment: 0,1%

Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

13. Disposal considerations**Waste treatment methods****Advice on disposal**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

RCRA Hazardous wastes (Resource Conservation and Recovery Act)

D001 Ignitability

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 8 of 10

14. Transport information

US DOT 49 CFR 172.101

Proper shipping name: No dangerous good in sense of this transport regulation. (49 CFR 173.150 e (2) & g (1))

Marine transport (IMDG)

UN number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN number: No dangerous good in sense of this transport regulation.

UN proper shipping name: No dangerous good in sense of this transport regulation.

Transport hazard class(es): No dangerous good in sense of this transport regulation.

Packing group: No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

refer to chapter 6-8

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

Other applicable information

Not sustaining combustion

15. Regulatory information

U.S. Regulations

National Inventory TSCA

ethanol, ethyl alcohol: listed in the TSCA inventory, not listed under TSCA 12(b)

National regulatory information

RA Section 311/312 Hazards:

ethanol, ethyl alcohol (64-17-5): Fire hazard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Hazardous Materials Information Label (HMIS)

Health:	0
Flammability:	3
Physical Hazard:	1
Personal Protection:	-

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 9 of 10

NFPA Hazard Ratings

Health:	0
Flammability:	3
Reactivity:	0
Unique Hazard:	-

**Changes**

Revision date:	19.06.2017
Revision No:	1,0
Rev. 1.0; Initial release:	19.06.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
CAS Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect level
NTP: National Toxicology Program
N/A: not applicable
OSHA: Occupational Safety and Health Administration
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
SVHC: substance of very high concern
TRGS Technische Regeln für Gefahrstoffe
TSCA: Toxic Substances Control Act
VOC: Volatile Organic Compounds
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

Other data

Classification according 29 CFR Part 1910.1200 - Classification procedure:
Health hazards: Calculation method.
Environmental hazards: Calculation method.
Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Beauty Lash Sensitive Dark Brown/Sensitive Medium Brown

Revision date: 19.06.2017

Product code:

Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)